Date Printed: 05/21/2012 Time Princed: 07:52:26

MIDAMERICA ORTHOPAEDICS 75 REMITTANCE DR STE 6035

Page 1

Group#: MAO

CHICAGO IL 60675 Tax Id#: 263727319

	Servdate		Dept	Dr	Frc	Ref	Proc	M3	L Mg	Dedc	Diag 1	Ino/Comment	ЭдистА	Remp Bal	Ins Eal
Patie	nt#: 10024	54	DUL	mbke,	PAUL	ж.									пъъпи
1	12/02/11			MOT	LIMP		99203			OFFICE OUTPT	906.1	S Y JOHK	230.00		
2	01/05/12	1		MGT	LIMP	735	99213			OFFICE OUTPT	906.1			, 00	230.00
										TITLE VOIR	500.1	AHOIY 1	160.00	, 00	160.00
1) Gr		IDA	MERICA	ORTHO	PAEDI		> Resp > Inc > Charg	Clarge		.00 39a.00 39a.00	Payo : Payo ; Payo ;	; gjb4 00, ; njbA 00. ; wjb4 00.	,00 .00 .00	Bal Duc : Bal Duc : Bal Duc :	390.00
Grand	Totalm :						> Resp > Ins > Charg	Charge		, 0a 390,00 390.00	Pays :	; в с БА 00. ; е с БА 00.	, oq , oo	Bal Duo ;	. 00 390. Da
							3		'	330.00	Pays :	.00 Adja:	.00	Bal Due ;	300.00

Parameters Used To Select This Report : REPORT ORTION : Detail
FREELINE OPTION : No Freelings

ADDITIONAL DATA OFFION : No Additional Information

First Selection Parameters:

CPT copyright 2009 American Medical Association. All rights reserved.



**DAKBROOK TERRACE** 1 TransAm Plaza Drive. Ste. 460 Oakbrook Terrace, #L 60181

P 030,317,7007 F 630.317.7088

LOCKPORT 16610 W. 159th St. Ste. 103 Lockport, IL 60441 P 708,237,7200

F 708.237.7201

PALOS HEIGHTS 10330 S. Roberts Road Palos Hills, IL 60465 P 708.237.7200 F 708,237,7201

LIBERTYVILLE 1419 Peterson Road Libertyville, IL 60048 P 847.247.0547 F 847.247,0540

SCHAUMBURG 1990 East Algonquin Rd, Ste. 200 Schaumburg, IL 60173 P 847.303,5790 F 847,303,5795

## HISTORY & PHYSICAL

PATIENT: Dulberg, Paul

AGE: 41 years old

**EXAM DATE: 12/02/11** 

CHIEF COMPLAINT: Right forearm pain.

HPI:

Patient is a 41-year-old male who is right-hand dominant. He was referred by Dr. Karen Levin, MD, neurology, for evaluation of an injury he sustained to his right medial forearm in June of 2011. He apparently was using a chain saw when he accidentally struck the volar medial aspect of his right forearm in roughly the mid forearm range with a chain saw. He had a large open wound down to muscle. He was seen in the emergency department where the wound is here it at the muscle was sewn together and the skin was closed. He followed up with his primary care provider. He has noted persistent pain which he describes as intermittent and shooting in character radiating from the laceration site. He occasionally has intermittent numbness and tingling in the ring and small finger. He reports grip weakness and no endurance with wrist flexion and gripping. He has not had therapy to date. He did have an EMG/NCS performed by Dr. Levin in August of 2011. Per the patient the study was normal. I do not have that study available at this moment. He currently is not working but is a graphic designer by training. He reports using a computer mouse for 20 minutes causes significant forearm pain.

MEDICATION:

Patient has no ourrent medications.

ALLERGIES:

nkda

REFERRAL SOURCE: Not Referred By

ILLNESSES:

Arthritis

**OPERATIONS:** 

Ulnar Nerve Transportation: Active

SOCIAL HISTORY:

Alcohol - Denies

Marital Status: Single

Smoking: current every day smoker

**FAMILY HISTORY:** 

Diabetes

OCCUPATION:

Graphic Designer

ROS:

Head and Neck:

System reported as normal by patient, System reported as normal by patient.

2. Heart: 3. Lungs:

System reported as normal by patient,

4. Gi. б. GU: System reported as normal by patient, System reported as normal by patient.

6. Neuro:

As per HPI

7. Musculoskeletal: 8. Abdomen:

As per HPL

9. Heme/Lymph:

System reported as normal by patient. System reported as normal by patient.

10. Other:

## PHYSICAL EXAM:

Report Date: June 21, 2012 Patient: Dulberg, Paul R DOS: 12/02/11

Vitals:

No data for Vitals.

Appearance:

No distress, good color on room air. Alert and cooperative. Bilateral upper extremities: no open wounds or skin changes.

Skin; Neuro:

Bilateral upper extremities: Median, radial and ulnar nerves are motor and sensory intact,

Light touch intact all digits, no weakness or wasting.

Vascular: Focused Exam:

Bilateral upper extremities: palpable radial pulses and brisk capillary refill.

Examination of his right upper extremity reveals his elbow has normal painless range of motion. No focal tenderness to palpation. Collateral ligaments are stable. His forearm compartments are soft. He has a well-healed transverse laceration on the volar medial mid forearm level. There is no erythema, drainage, or fluctuance at the level of the laceration. There is no tenderness to palpation at the laceration site. There is some apparent muscle incongruity. Distally his hand demonstrates no atrophy. He has 5 cut of 5 intrinsport to the laceration.

There is no tenderness to palpation at the laceration site. There is some apparent muscle incongruity. Distally his hand demonstrates no atrophy. He has 5 out of 5 intrinsic strength. 5 out of 5 APB strength. He can make a full fist with full extension of all digits. He does not demonstrate a clawed posture. He has a negative Froment sign. He has a positive

Wartenberg sign. Wrist flexion and extension is 5 out of 5 strength. He has a palpable FCU

and ECU tendons at the level of the wrist. They have appropriate tension.

<u>IMAGING:</u>

None today,

ASSESSMENT:

DIAGNOSIS; PROCEDURES: 906.1-LATE EFFECT OPEN WND EXTREM 99203-NEW Detailed. Low Complexity

PLAN; Plan;

I reviewed findings, treatment options, and recommendations with the patient concerning the forearm complaints he has. I would like to see the official report of the EMG/NCS. We will obtain this report. There is no evidence of a complete injury to his ulnar nerve on physical exam. His complaints are likely muscular in origin. He may have some superficial sensory complaints as well. I do not think he needs any surgical intervention at this time, I did recommend and provided him with a prescription for occupational therapy to work on strengthening and conditioning of the forearm muscles. They can also perform some pain control modalities. I would like to see him back in 4-6 weeks' time to see if therapy is of some assistance to him, I will contact him by phone if his EMG is significantly abnormal. Otherwise we will discuss it at the next followup visit. Patient was in agreement with the plan.

Prescription:

No data for Prescription

· Taleras , Ma

Work Status:

Not applicable.

Marcus G, Talerico, M.D.

Referred by: Dr. Karen Levin Primary Care Physician: Dr. Sek

Other: n/a

Ear Graned Poated 12/5/2016 92/00184W/2Refemino Physician MC

LIBERTYVILLE



**DAKBROOK TERRACE** 1 TransAm Plaza Orive. Ste. 460

Oakbrook Terrace, IL 60181 P 630,317,7007 F 630.317,7088

LOCKPORT 16610 W. 159th St. Ste. 103

Lockport, IL 60441 P 708.237.7200 F 708,237,7201

**PALOS HEIGHTS** 10330 S. Roberts Road Palos Hills, IL 60465 P 708 237,7200

1419 Peterson Road LibertyvIIIe, (L 60048 P 847.247.0547 F 708.237.7201 F 847.247.0540

SCHAUMBURG 1990 East Algonquin Rd. Ste. 200 Schaumburg, IL 60173 P 847.303.5790 F 847.303.5795

PATIENT: Dulberg, Paul R

HOME: 4646 Aden Court Mchenry, IL 60051

AGE: 41 years old EXAM DATE: 01/06/12

PID: 1002454

CHIEF COMPLAINT: Right forearm pain.

Nurse's Notes:

Patient doesn't feel occupation therapy is helping. He complaints of pain/soreness and loss of

strength, MT

Referred by:

Not Referred By

Patient is a 41-year-old male who is right-hand dominant. He was referred by Dr. Karen Levin, MD, HPI: neurology, for evaluation of an injury he sustained to his right medial forearm in June of 2011. He apparently was using a chain saw when he accidentally struck the volar medial aspect of his right forearm in roughly the mid forearm range with a chain saw. He had a large open wound down to muscle. He was seen in the emergency department where the wound was debrided and the muscle was sewn together and the skin was closed. He followed up with his primary care provider. He has noted persistent pain which he describes as intermittent and shooting in character radiating from the laceration site. He occasionally has intermittent numbness and tingling in the ring and small finger. He reports grip weakness and no endurance with wrist flexion and gripping. He has not had therapy to date. He did have an EMG/NCS performed by Dr.Levin in August of 2011. Per the patient the study was normal. I saw the patient a proximally one month ago recommended a course of occupational therapy. He has attended one or 2 sessions thus far. I also obtained and the EMG nerve conduction study to review. The patient reports no improvement in symptoms. He thinks that therapy is not helpful. He feels he is getting weaker. He feels burning in the forearm region. He also asked me about disability paperwork,

MEDICAL HISTORY: Arthritis

MEDICATION:

паргохеп (Dosage: 375 mg Tablet, Delayed Release (E.C.) StG: Take 1 tablet Oral twice a day Oral Dispense: 90 Refills: 2)

ALLERGIES:

nkda

SOCIAL HISTORY

Alcohol - Denies

Marital Status: Single

Smoking: current every day smoker

PHYSICAL EXAM:

Appearance:

No distress. Alert and cooperative.

Skin:

Bilateral upper extremities; no open wounds or skin changes. Well-healed laceration in the mid forearm region right side ulnar aspect. No evidence of infection,

Neuro:

Bilateral upper extremities; light touch intact all digits, no weakness or wasting,

Focused Exam:

Elbow with full and painless motion in the right side. Forearm compartments are soft there is no obvious deformity. He has preserved wrist flexion and extension strength. He can make a full fist and has full extension of all digits. He has no intrinsic or thenar atrophy. He has 5/5 APB and intrinsic strength. He has a negative Froment sign. He does have a positive

Wartenberg sign. FDP to the small finger is 5/5.

**IMAGING:** 

None today.

Report Date: June 21, 2012 Patient: Dulberg, Paul R DOS: 01/06/12

DIAGNOSIS: PROCEDURES: 906.1-LATE EFFECT OPEN WND EXTREM

99213-ESTABLISHED Expanded, Low Complexity

## ASSESSMENT & PLAN;

Plan:

I reviewed findings, treatment options, and recommendations with the patient concerning the forearm complaints he has. I reviewed the EMG/NCS which is a normal study. There is no evidence of ulnar nerve injury. Given the location of his injury this is the only significant problem I can imagine from this wound. There is no evidence of any nerve or tendon injury. He may have some residual soreness and some superficial sensory abnormalities but this should improve over time. Our recommendation is simply continued therapy. No need for surgical intervention that I can foresee. Unfortunately do not have anything further to offer the patient at this time. I would be happy to see him back in the future on an as needed basis.

Work Status:

Not applicable.

Marcus G. Talerico, M.D.

Referred by: Dr. Karen Levin Other: Hans Mast(Attorney)